

60,2x39,9x55,9cm | 27,1Kg | VOLUME 134L CAPACITY 109L

001 17744 025 17745 059 17746

088 **17747** 096 **18091** 097 **19889** 



# **NOT INCLUDED**

# Optional STAND

60,2x39,7x73cm | 18Kg

CABINET MAX. LOAD 150Kg

088 17727 096 18096



059 17726

# Optional **CABINET**

60,2x39,7x83cm | 25Kg

CABINET MAX. LOAD 150Kg

001 17704 025 17705 059 17706 088 **17707** 096 **18101** 097 **19901** 



# **EQUIPMENT INCLUDED**

#### FILTRATION

#### **CLEANSYS PRO 730**

New range of external filters that work with a low power consumption and include an innovative system of filtering media.

> AQUARIUM VOLUME BETWEEN 60-200L Max. flow r. 730l/h Consumption 11W

> > MECHANICAL | CHEMICAL | BIOLOGICAL

FILTER CARTRIDGES **CLEANBOX PRO L** 



FIBER + COARSE FOAM



CARBON L




**AQUACLAY** L



Non contractual photo

HEATER EasyKlim+ 150W



# LIGHTING

#### **EASY LED 2.0**

The LED lighting system with two independent light channels. Get more advantages using the Luminus LED controller (sold separately).

> CONSUMPTION ≈ 20W PROTECTION INDEX IPX8





80,2x39,9x55,9cm | 32,6Kg | VOLUME 179L CAPACITY 146L

001 17748 025 17749 059 17750

088 **17751** 096 **18092** 097 **19890** 



# **NOT INCLUDED**

# Optional STAND

80,2x39,7x73cm | 20Kg

CABINET MAX. LOAD 200Kg

001 17728 025 17729

059 17730 088 **17731** 096 **18097** <sup>097</sup> **19897** 

Optional **CABINET** 

80,2x39,7x83cm | 31Kg

CABINET MAX. LOAD 200Kg 001 17708 025 17709 059 17710

088 17711 096 18102 097 19903

# **EQUIPMENT INCLUDED**

#### FILTRATION

#### **CLEANSYS PRO 730**

New range of external filters that work with a low power consumption and include an innovative system of filtering media.

> AQUARIUM VOLUME BETWEEN 60-200L Max. flow r. 730l/h Consumption 11W

> > MECHANICAL | CHEMICAL | BIOLOGICAL

FILTER CARTRIDGES **CLEANBOX PRO L** 



FIBER + COARSE FOAM



CARBON L




**AQUACLAY** L



Non contractual photo

HEATER EasyKlim+ 150W



# LIGHTING

#### **EASY LED 2.0**

The LED lighting system with two independent light channels. Get more advantages using the Luminus LED controller (sold separately).

> CONSUMPTION ≈ 28W PROTECTION INDEX IPX8





101,7x39,9x60,9cm | 51,3Kg | VOLUME 247L CAPACITY 202L

001 17752 025 17753 059 17754

088 **17755** 096 **18093** 097 **19891** 



# **NOT INCLUDED**

# Optional STAND

101,7x39,7x73cm | 24,1Kg

CABINET MAX. LOAD 280Kg







088 **17735** 096 **18098** 

059 17734 097 19898

# Optional **CABINET**

101,7x39,7x83cm | 36,3Kg

CABINET MAX. LOAD 280Kg



001 17712 025 17713

088 17715 096 18103

059 18196



# **EQUIPMENT INCLUDED**

#### FILTRATION

#### **CLEANSYS PRO 730**

New range of external filters that work with a low power consumption and include an innovative system of filtering media.

> AQUARIUM VOLUME BETWEEN 60-200L Max. flow r. 730l/h

Consumption 11W

MECHANICAL | CHEMICAL | BIOLOGICAL

FILTER CARTRIDGES CLEANBOX PRO L



FIBER + COARSE FOAM



CARBON L



AOUACLAY L



Non contractual photo

HEATER EasyKlim+ 200W



#### LIGHTING **EASY LED 2.0**

The LED lighting system with two independent light channels. Get more advantages using the Luminus LED controller (sold separately).

> CONSUMPTION ≈ 44W PROTECTION INDEX IPX8





120,4x39,9x60,9cm | 60,7Kg | VOLUME 293L CAPACITY 240L

001 17756 025 17757 059 17758

088 **17759** 096 **18094** 097 **19892** 



# **NOT INCLUDED**

# Optional STAND

120,4x39,7x73cm | 28,6Kg

CABINET MAX. LOAD 345Kg

<sup>088</sup> **17739** 

001 17736 025 17737

096 18099


059 17738

097 19899

# Optional **CABINET**

120,4x39,7x83cm | 40Kg

CABINET MAX. LOAD 345Kg



#### **EQUIPMENT INCLUDED**

#### FILTRATION

#### **CLEANSYS PRO 850**

New range of external filters that work with a low power consumption and include an innovative system of filtering media.

> AQUARIUM VOLUME BETWEEN 90-300L Max. flow r. 850l/h

> > Consumption 13W

MECHANICAL | CHEMICAL | BIOLOGICAL

FILTER CARTRIDGES **CLEANBOX PRO L** 





FIBER L

ACTIVATED CARBON L







Non contractual photo

HEATER EasyKlim+ 200W



#### LIGHTING **EASY LED 2.0**

The LED lighting system with two independent light channels. Get more advantages using the Luminus LED controller (sold separately)

> CONSUMPTION ≈ 52W PROTECTION INDEX IPX8





149x39,9x60,9cm | 70Kg | VOLUME 362L CAPACITY 298L

001 17760 025 17761 059 17762

088 **17763** 096 **18095** 097 **19893** 



#### **NOT INCLUDED**

# Optional STAND

149x39,7x73cm | 43Kg

CABINET MAX. LOAD 440Kg

001 17740 025 17741

088 **17743** 096 **18100** 

059 17742 097 19900

Optional **CABINET** 

149x39,7x83cm | 59,5Kg

CABINET MAX. LOAD 440Kg

001 17720 025 17721

088 17723 096 18105

059 17722

097 19906

# **EQUIPMENT INCLUDED**

#### FILTRATION

#### **CLEANSYS PRO 850**

New range of external filters that work with a low power consumption and include an innovative system of filtering media.

AQUARIUM VOLUME BETWEEN 90-300L

Max. flow r. 850l/h Consumption 13W

MECHANICAL | CHEMICAL | BIOLOGICAL

FILTER CARTRIDGES **CLEANBOX PRO L** 





FIBER L

ACTIVATED CARBON L










Non contractual photo

HEATER EasyKlim+ 300W



# LIGHTING

#### **EASY LED 2.0**

The LED lighting system with two independent light channels. Get more advantages using the Luminus LED controller (sold separately).

> CONSUMPTION ≈ 72W PROTECTION INDEX IPX8





198,6x49,9x60,9cm | 124,5Kg | VOLUME 604L CAPACITY 500L

001 18930 025 18931 059 18932

088 18933 096 18934 097 19894



# **NOT INCLUDED**

# Optional **CABINET**

198,6x49,7x83cm | 94Kg

CABINET MAX. LOAD 750Kg

001 18920 025 18921 059 18922

088 **18923** 096 **18924** 097 **19907** 

# **EQUIPMENT INCLUDED**

# FILTRATION CLEANSYS PRO 1400

New range of external filters that work with a low power consumption and include an innovative system of filtering media.

AQUARIUM VOLUME BETWEEN 160-600L

Max. flow r. 1400l/h Consumption 19W

MECHANICAL | CHEMICAL | BIOLOGICAL

FILTER CARTRIDGES

**CLEANBOX PRO XL** 





FIBER XL

ACTIVATED CARBON XL








**AOUACLAY XL** 



Non contractual photo

HEATER EasyKlim+ 300W



#### LIGHTING **EASY LED 2.0**

The LED lighting system with two independent light channels. Get more advantages using the Luminus LED controller (sold separately).

> CONSUMPTION ≈ 2x 88W PROTECTION INDEX IPX8

